



MEMBER SECRETARY

केन्द्रीय भूमि जल प्राधिकरण
जल संसाधन, नदी विकास
एवम् गंगा संरक्षण मंत्रालय
भारत सरकार
नई दिल्ली

Central Ground Water Authority
Ministry of Water Resources,
River Development and Ganga Rejuvenation
Government of India
New Delhi

File No:- 21-4/950/RJ/IND/2016 - 1396

NOC No:- CGWA/NOC/IND/ORIG/2016/2215

Dated :- 14 JUL 2016

To,

✓ M/s Dhanuka Laboratories Ltd.,
7 Km, Old Manesar Road,
Village Mohamadpur,
Gurgaon, Haryana-122001.

Sub:- NOC for ground water withdrawal to M/s Dhanuka Laboratories Ltd. in respect of their Chemical manufacturing unit located at Plot No. SP-4-4, Village Keshwana, Block Kotputli, District Jaipur, Rajasthan – reg.

Refer to your application on the above cited subject. Based on recommendations of Regional Director, Central Ground Water Board Western Region, Jaipur vide their recommendations dated 23/03/2016 and further deliberations on the subject, the NOC of Central Ground Water Authority is hereby accorded to M/s Dhanuka Laboratories Ltd. in respect of their Chemical manufacturing unit located at Plot No. SP-4-4, Village Keshwana, Block Kotputli, District Jaipur, Rajasthan. The NOC is, however subject to the following conditions:-

1. The firm may abstract 54,750 cu.m/year (and not exceeding 54,750 cu.m/year) of ground water, through proposed one (1) tubewell only. No additional ground water abstraction structures to be constructed for this purpose without prior approval of the CGWA.
2. The well to be fitted with water meter by the firm at its own cost and monitoring of ground water abstraction to be undertaken accordingly on regular basis, atleast once in a month. The ground water quality to be monitored twice in a year during pre- monsoon and post- monsoon periods.
3. M/s Dhanuka Laboratories Ltd., shall, in consultation with the Regional Director, Central Ground Water Board, Western Region, Jaipur implement ground water recharge measures atleast to the tune of 1,17,915 cu.m/year as proposed, for augmenting the ground water resources of the area within six months from the date of issue of this letter. Firm shall also undertake periodic

maintenance of recharge structures at its own cost.

4. The photographs of the recharge structures after completion of the same are to be furnished immediately to the Regional Director, Central Ground Water Board, Western Region, Jaipur for verification and under intimation to this office.

5. The firm at its own cost shall install 2-3 piezometers fitted with automatic water level recorders having telemetry system at suitable location and execute ground water regime monitoring programme in and around the project area on regular basis in consultation with the Central Ground Water Board Western Region, Jaipur.

6. The ground water monitoring data in respect of S. No. 2 & 5 to be submitted to Central Ground Water Board Western Region, Jaipur on regular basis at least once in a year.

7. The firm shall ensure proper recycling and reuse of waste water after adequate treatment.

8. Action taken report in respect of S. No. 1 to 7 may be submitted to CGWA within one year period.

9. The permission is liable to be cancelled in case of non-compliance of any of the conditions as mentioned in S. No. 1 to 8.

10. This NOC is subject to prevailing Central/State Government rules/laws or Courts orders related to construction of tubewell/ground water withdrawal/construction of recharge or conservation structure/discharge of effluents or any such matter as applicable.

11. This NOC does not absolve the applicant / proponent of this obligation / requirement to obtain other statutory and administrative clearances from other statutory and administrative authorities.

12. The NOC does not imply that other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would consider the project on merits and be taking decisions independently of the NOC.

13. This NOC is valid from 04/07/2016 to 03/07/2018.


Member Secretary

Copy to:

1. The Member Secretary, Rajasthan State Pollution Control Board, 4 Institutional Area, Jhalana Doongri, Jaipur- 302004, Rajasthan with a request to ensure that the conditions mentioned in the NOC are complied by the firm.


2. The District Collector, District Jaipur, Rajasthan.

3. The Regional Director, Central Ground Water Board Western Region, Jaipur. This has reference to your recommendation dated 23/03/2016.

4. TS to the Chairman, Central Ground Water Board, Bhujal Bhawan, Faridkot, Haryana.

5. Guard File 2016-17.


Member Secretary



UDAIPUR CHAMBER OF COMMERCE & INDUSTRY

उदयपुर चैम्बर ऑफ कॉमर्स एण्ड इण्डस्ट्री

(An Apex Body of Trade, Industry, Mining, Education & Tourism of Southern Rajasthan)

UCCI/HWMF-934/2017-18 - 11

25th April, 2017

The Member Secretary,
Rajasthan Pollution Control Board,
4, Institutional Area,
Jhalana Doongri,
JAIPUR

Sub: Intended member of Hazardous Waste Treatment Facility at Udaipur.

Dear Sir,

This is in continuation to our earlier letter No.UCCI/HWMF-933/2017-18/10 dtd. 18th April, 2017.

We are to inform you M/s Dhanuka Laboratories Ltd., SP 4 - 4, RIICO Industrial Area, Keshwana Rajpoot, Tehsil - Kotputli, Distt. Jaipur - 303108 (Rajasthan) have completed the necessary formalities to become a member of common Hazardous Waste Treatment Facility being setup at Udaipur.

We request you to kindly consider M/s Dhanuka Laboratories Ltd., SP 4 - 4, RIICO Industrial Area, Keshwana Rajpoot, Tehsil - Kotputli, Distt. Jaipur - 303108 (Rajasthan) for granting necessary authorization.

Thanking you,

Yours faithfully,

For Udaipur Chamber of Commerce & Industry

K.S. Mogra

Chairman

H.W.M. Project

Copy to: 1. The Regional Officer, RSPCB, Jaipur (North)

- 2. M/s Dhanuka Laboratories Ltd., SP 4 - 4, RIICO Industrial Area, Keshwana Rajpoot, Tehsil - Kotputli, Distt. Jaipur - 303108 (Rajasthan) - Your registration No. is 934 and you may please quote this number while communicating with us in future. We also enclose the copies of our Circulars for your information.
3. M/s Rajasthan Waste Management Project Pvt. Ltd., Udaipur. The category of wastes generated by the party is Chemical sludge from waste water treatment, Ash from incinerator and flue gas cleaning residue, Distillation residues, Spent carbon, which will be acceptable to our site at Udaipur. Category of waste as per Schedule I of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 is 35.3, 37.2, 20.3 & 28.3 and quantity of waste is 138.70 MT, 73.00 MT, 101.10 MT & 4.74 MT per Annum respectively.

Encl.: 1) Circular No.UCCI/HWM/2016-17/55 dated 22.07.2016

2) Circular No.UCCI/HWM/2016-17/55A dated 22.07.2016



CHAMBER BHAWAN, MEWAR INDUSTRIAL AREA, MADRI, UDAIPUR - 313003 (Raj.)

TEL. : (0294) 2491060-61, FAX : (0294) 2492212, Website : www.ucciudaipur.com